

If your answer to question 2 is "no," proceed to question 4.

- (3) Was defendant Crane Co.'s failure to warn plaintiff Selwyn A. Hackshaw about products used in connection with its equipment a substantial contributing factor in causing his mesothelioma?

Yes No _____ Dissenting Juror (if any) _____

Proceed to question 4.

- (4) Was plaintiff Selwyn A. Hackshaw exposed to asbestos from products sold by Crane Co.?

Yes No _____ Dissenting Juror (if any) _____

If your answer to question 4 is "yes," proceed to question 5.

If your answer to question 4 is "no," and you answered "yes" to question 3, proceed to question 7.

If your answer to question 4 is "no," and you answered "no" to questions 1, 2 or 3, proceed no further and report your verdict to the court.

- (5) Did defendant Crane Co. fail to exercise reasonable care by not providing an adequate warning to plaintiff Selwyn A. Hackshaw about the hazards of exposure to asbestos with respect to the products it sold?

Yes No _____ Dissenting Juror (if any) _____

If your answer to question 5 is "yes," proceed to question 6.

If your answer to question 5 is "no," and you answered "yes" to question 3, proceed to question 7.

If your answer to question 5 is "no," and you answered "no" to questions 1, 2 or 3, proceed no further and report your verdict to the court.

- (6) Was defendant Crane Co.'s failure to warn plaintiff Selwyn A. Hackshaw about products it sold a substantial contributing factor in causing his mesothelioma?

Yes No _____ Dissenting Juror (if any) _____

If your answer to question 6 is "yes," proceed to question 7.

If your answer to question 6 is "no," and you answered "yes" to question 3, proceed to question 7.

If your answer to question 6 is "no," and you answered "no" to questions 1, 2 or 3, proceed no further and report your verdict to the court.

- (7) Was plaintiff Selwyn A. Hackshaw exposed to asbestos from products made, sold, distributed or used in connection with products or equipment of any of the following companies:

American Brake Shoe	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Bendix	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Bell & Gossett Co.	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
B.F. Goodrich Co.	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Carrier Corp.	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Celotex/Carey	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Dean Pumps	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Garlock	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
General Electric Co.	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Georgia Pacific LLC	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Goodyear	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Goulds Pumps	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
ITE Circuit Breakers, Inc.	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Kentile Floors	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Murray/Siemens (Bulldog)	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
National Gypsum	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Owens-Corning	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Square D Co.	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>

U.S. Gypsum

Yes X No

Westinghouse Electric Corp.

Yes X No

Dissenting Juror (if any) _____

If you answered "Yes" to this question for any of the companies listed, proceed to question 8. However, before you proceed to question 8, if you answered "No" to question 7 for any company, strike that company from the list for questions 8, 9 and 10.

If you answered "No" for ALL the companies above, proceed to question 11.

- (8) Did any of the following companies fail to exercise reasonable care by not providing adequate warning to plaintiff Selwyn A. Hackshaw about the potential hazards of exposure to asbestos?

American Brake Shoe

Yes X No

Bendix

Yes X No

Bell & Gossett Co.

Yes X No

B.F. Goodrich Co.

Yes X No

Carrier Corp.

Yes X No

Celotex/Carey

Yes X No

Dean Pumps

Yes X No

Garlock

Yes X No

General Electric Co.

Yes X No

Georgia Pacific LLC

Yes X No

Goodyear

Yes X No

Goulds Pumps

Yes X No

ITE Circuit Breakers, Inc.

Yes X No

Kentile Floors

Yes X No

Murray/Siemens (Bulldog)

Yes X No

National Gypsum	Yes <u>X</u>	No <u> </u>
Owens-Corning	Yes <u>X</u>	No <u> </u>
Square D Co.	Yes <u>X</u>	No <u> </u>
U.S. Gypsum	Yes <u>X</u>	No <u> </u>
Westinghouse Electric Corp.	Yes <u>X</u>	No <u> </u>

Dissenting Juror (if any) _____

If you answered "Yes" to this question for any of the companies listed, proceed to question 9. However, before you proceed to question 9, if you answered "No" to question 8 for any company, strike that company from the list for questions 9 and 10.

If you answered "No" for ALL the companies above, proceed to question 11.

(9) Was any of the following companies' failure to warn a substantial factor in causing plaintiff Selwyn A. Hackshaw's mesothelioma?

American Brake Shoe	Yes <u>X</u>	No <u> </u>
Bendix	Yes <u>X</u>	No <u> </u>
Bell & Gossett Co.	Yes <u>X</u>	No <u> </u>
B.F. Goodrich Co.	Yes <u>X</u>	No <u> </u>
Carrier Corp.	Yes <u>X</u>	No <u> </u>
Celotex/Carey	Yes <u>X</u>	No <u> </u>
Dean Pumps	Yes <u>X</u>	No <u> </u>
Garlock	Yes <u>X</u>	No <u> </u>
General Electric Co.	Yes <u>X</u>	No <u> </u>
Georgia Pacific LLC	Yes <u>X</u>	No <u> </u>
Goodyear	Yes <u>X</u>	No <u> </u>
Goulds Pumps	Yes <u>X</u>	No <u> </u>

ITE Circuit Breakers, Inc.	Yes <u>X</u>	No <u> </u>
Kentile Floors	Yes <u>X</u>	No <u> </u>
Murray/Siemens (Bulldog)	Yes <u>X</u>	No <u> </u>
National Gypsum	Yes <u>X</u>	No <u> </u>
Owens-Corning	Yes <u>X</u>	No <u> </u>
Square D Co.	Yes <u>X</u>	No <u> </u>
U.S. Gypsum	Yes <u>X</u>	No <u> </u>
Westinghouse Electric Corp.	Yes <u>X</u>	No <u> </u>

Dissenting Juror (if any) _____

If you answered "Yes" to this question for any of the companies listed, proceed to question 10. However, before you proceed to question 10, if you answered "No" to question 9 for any company, strike that company from the list for question 10.

If you answered "No" for ALL the companies above, proceed to question 11.

(10) List the percentage of responsibility that is attributable to each of the companies listed below for causing plaintiff Selwyn A. Hackshaw's mesothelioma. Your answer must total 100%.

American Brake Shoe	<u>3</u> %
Bendix	<u>3</u> %
Bell & Gossett Co.	<u>6</u> %
B.F. Goodrich Co.	<u>3</u> %
Carrier Corp.	<u>0.5</u> %
Celotex/Carey	<u>3</u> %
Crane Co.	<u>20</u> %
Dean Pumps	<u>6</u> %
Garlock	<u>5</u> %

General Electric Co.	<u>1.5</u> %
Georgia Pacific LLC	<u>2</u> %
Goodyear	<u>4</u> %
Goulds Pumps	<u>6</u> %
ITE Circuit Breakers, Inc.	<u>2</u> %
Kentile Floors	<u>3</u> %
Murray/Siemens (Bulldog)	<u>4</u> %
National Gypsum	<u>8</u> %
Owens-Corning	<u>6</u> %
Square D Co.	<u>3</u> %
U.S. Gypsum	<u>8</u> %
Westinghouse Electric Corp.	<u>3</u> %
Total:	<u>100</u> %

Dissenting Juror (if any) _____

Proceed to question 11.

(11) State the total amount of damages, if any, awarded to plaintiff Selwyn A. Hackshaw for each of the following:

(A) Past pain and suffering from the onset of his Mesothelioma to the date of his death:

\$ 10,000,000

Dissenting Juror (if any) _____

Proceed to question 12.

(12) Did defendant Crane Co. act with reckless disregard for the safety of others, namely plaintiff Selwyn A. Hackshaw?

Yes X

No _____

Dissenting Juror (if any) _____

Sign the verdict sheet and report your verdict to the court.

The above represents a correct report of the Jury's verdict.

Juror 1 Brenda Marciano

Juror 2 Dorothy Calloway

Juror 3 W.F.

Juror 4 Jenna Hilary

Juror 5 William R. Cross

Juror 6 Anna Maria F. Auban